

**Reference List for Original HRP Evidence Book 2008 Evidence Report on**  
**Risk of Bone Fracture**  
**March 2008**

Bischoff HA, Stähelin HB, Dick W, Akos R, Knecht M, Salis C, Nebiker M, Theiler R, Pfeifer M, Begeros B, Lew RA, Conzelmann M. Effects of vitamin D and calcium supplementation on falls: A randomized controlled trial. *J Bone Miner Res.* 2003 Feb; 18(2):343-351.

Bischoff-Ferrari HA, Dawson-Hughes B, Willett SC, Staehelin HB, Basemore MB, Zee RY, Wong JB. Effect of vitamin D on falls: a meta-analysis. *JAMA* 2004 Apr 28; 291(16):1999-2006

Bioastronautics Roadmap. A risk reduction strategy for space exploration. NASA SP-2004-6113

Bloomberg JJ, Mulavara AP. Changes in walking strategies after spaceflight. *IEEE Eng Med Biol Mag.* 2003 Mar-Apr;22(2):58-62.

Bonnick SL and Shulman L. Monitoring Osteoporosis Therapy: Bone Mineral Density, Bone Turnover Markers, or Both? *Am J Med.* 2006 Apr;119:255-315.

Carpenter RD, Beaupré GS, Lang TF, Orwoll ES, Carter DR; Osteoporotic Fractures in Men (MrOS) Study Group. New QCT analysis approach shows the importance of fall orientation on femoral neck strength. *J Bone Miner Res.* 2005 Sep;20(9):1533-42.

Chesnut CH 3rd, Majumdar S, Newitt DC, et al. Effects of salmon calcitonin on trabecular microarchitecture as determined by magnetic resonance imaging: results from the QUEST study. *J Bone Miner Res.* 2005 Sep; 20(9):1548-1561.

Courtine G, Pozzo T. 2004. Recovery of the locomotor function after prolonged microgravity exposure. I. Head-trunk movement and locomotor equilibrium during various tasks. *Exp Brain Res.* 2004 Sep;158(1):86-99.

Cummings SR, Nevitt MC, Browner WS, Stone K, Fox KM, Ensrud KE, Cauley J, Black D, Vogt TM. Study of Osteoporotic Fractures Research Group. Risk Factors for hip fracture in white women. *N Engl J Med.* 1995 Mar 23;332(12):767-73

Cummings SR, Black DM, Thompson DE, et al. Effect of alendronate on risk of fracture in women with low bone density but without vertebral fractures: results from the Fracture Intervention Trial. *JAMA.* 1998 Dec 23-30; 280(24):2077-82.

De Laet C, Odén A, Johansson H, Johnell O, Jönsson B, Kanis JA. The impact of the use of multiple risk indicators for fracture on case-finding strategies: A mathematical approach. *Osteoporos Int.* 2005 Mar;16(3):313-318.

Espallargues M, Sampietro-Colom L, Estrada MD, Solà M, del Rio L, Setoain J, Granados A. 2001. Identifying bone-mass-related risk factors for fracture to guide bone densitometry measurements: a systematic review of the literature. *Osteoporos Int.* 2001;12(10):811-822.

Garnero P, Sornay-Rendu E, Duboeuf F, Delmas PD. Markers of bone turnover predict postmenopausal forearm bone loss over 4 years: The OFELY study. *J Bone Miner Res.* 1999 Sep;14(9):1614-1621.

Gutteridge DH, Stewart GO, Prince RL, Price RI, Retallack RW, et al. A randomized trial of sodium fluoride (60 mg) +/- estrogen in postmenopausal osteoporotic vertebral fractures: increased vertebral fractures and peripheral bone loss with sodium fluoride; concurrent estrogen prevents peripheral loss, but not vertebral fractures. *Osteoporos Int.* 2002;13(2):158-170.

Hernandez CJ, Gupta A, Keaveny T. A biomechanical analysis of the effects of resorption cavities on cancellous bone strength. *J Bone Miner Res.* 2006 Aug;21(8):1248-1255.

Kanis JA, Oden A, Johnell O, Johansson H, De Laet C, Brown J, et al. The use of clinical risk factors enhances the performance of BMD in the prediction of hip and osteoporotic fractures in men and women. *Osteoporos Int.* 2007 Aug;18(8):1033-46.

Keyak JH, Kaneko TS, Tehranyzadeh J, Skinner HB. Predicting proximal femoral strength using structural engineering models. *Clin Orthop Relat Res.* 2005 Aug;(437):219-228.

Keyak JH, Koyama GK, LeBlanc A, Lu Y, Lang TF. Reduction in proximal femoral strength after long-duration spaceflight. Abstract presentation at 53rd Annual meeting of the Orthopaedic Research Society, Feb. 11-14, 2007. San Diego, CA.

Lang T. 2006. What do we know about fracture risk in long-duration spaceflight? *J Musculoskelet Neuronal Interact.* 2006 Oct-Dec;6(4):319-21.

LeBlanc A, Schneider V, Shackelford L, West S, Oganov V, Bakulin A, Voronin L. Bone mineral and lean tissue loss after long duration spaceflight. *J Musculoskelet Neuronal Interact.* 2000 Dec;1(2):157-160.

LeBlanc A, Lin C, Shackelford L, Sinitzyn V, Evans H, Belichenko O, et al. Muscle volume, MRI relaxation times (T2) and body composition after spaceflight. *J Appl Physiol.* 2000 Dec;89(6):2158-64.

LeBlanc AD, Spector ER, Evans HJ, Sibonga JD. Skeletal responses to spaceflight and the bed rest analog: a review. *J Musculoskelet Neuronal Interact.* 2007 Jan-Mar;7(1):33-47.

Lewandowski BE, Myers JG, Nelson ES, Licata A, Griffin D. Risk Assessment of bone fracture during space exploration missions to the moon and mars. Manuscript for submission.

National Institutes of Health Consensus Development Panel on Osteoporosis Prevention, Diagnosis, and Therapy. South Med J. 2001 Jun;94(6):569-73.

Newman DJ, Jackson DK, Bloomberg JJ. Altered astronaut lower-limb and mass center kinematics in downward jumping following spaceflight. Exp Brain Res. 1997 Oct ;117(1):30-42.

Peters BT, Bloomberg JJ, Layne CS, McDonald PV, Huebner WP. Eye, head, and trunk phase relationships during treadmill locomotion while viewing visual targets at different distances. Soc. Neurosci. Abstr. 1996 22(3): 1848.

Riggs BL, Hodgson SF, O'Fallon WM. et al. Effect of fluoride treatment on the fracture rate in postmenopausal women with osteoporosis. N Engl J Med. 1990 Mar 22;322(12):802-809.

Riggs BL, Khosla S, Melton LJ III. A unitary model for involutional osteoporosis: Estrogen deficiency causes both type I and type II osteoporosis in postmenopausal women and contributes to bone loss in aging men. J Bone Miner Res. 1998 May;13(5):763-773.

Riggs BL, Melton LJ 3<sup>rd</sup>, Robb RA, Camp JJ, Atkinson EJ, Oberg AL, Rouleau PA, McCollough CH, Khosla S, Bouxsein ML. Population-based analysis of the relationship of whole bone strength indices and fall-related loads to age- and sex-specific patterns of hip and wrist fractures. J Bone Miner Res. 2006 Feb;21(2):315-323.

Robinovitch SN, Hayes WC, McMahon TA. Prediction of femoral impact forces in falls on the hip. J Biomech Eng. 1991 Nov;113(4):366-374.

Sibonga JD, Evans HJ, Sung HG, Spector ER, Lang TF, Oganov VS, Bakulin AV, Shackelford LC, LeBlanc AD. Recovery of Spaceflight-induced Bone Loss: Bone Mineral Density after Long-duration Missions as Fitted with an Exponential Function. Bone. 2007 41(6):973-978.

Smith SM, Wastney ME, Morukov BV, Larina IM, Nyqvist LE, et al. Calcium metabolism before, during and after a 3-mo spaceflight: kinetic and biochemical changes. Am J Physiol. 1999 Jul;277(1 pt 2):R1-10.

Smith SM, Wastney ME, O'Brien KO, Morukov BV, Larina IM, Abrams SA, Davis-Street JE, Oganov V, Shackelford L. Bone markers, calcium metabolism, and calcium kinetics during extended-duration spaceflight on the mir space station. J Bone Miner Res. 2005 Feb;20(2):208-218

Sornay-Rendu E, Munoz F, Garnero P, Duboeuf F, Delmas PD. Identification of osteopenic women at high risk of fracture: the OFELY study. *J Bone Miner Res.* 2005 Oct;20(10):1813-9. Epub 2005 Jun 20

Turner RT. 2000 Invited review: what do we know about the effects of spaceflight on bone? *J Appl Physiol.* 2000 Aug;89(2):840-847.

Van der Linden JC, Homminga J, Verhaar J, Weinans H. Mechanical consequences of bone loss in cancellous bone. *J Bone Miner Res.* 2001 Mar;16(3):457-465.

Vico L, Collet P, Guignandon A, Lafage-Proust MH, Thomas T, Rehaillia M, Alexandre C. Effects of long-term microgravity exposure on cancellous and cortical weight-bearing bones of cosmonauts. *The Lancet.* 2000. May 6;355(9215):1607-11.

Wainright SA, Marshall LM, Ensrud KE, Cauley JA, Black DM, Hiller A, Hochberg MC, Vogt MT, Orwoll ES; Study of Osteoporotic Fractures Research Group. Hip Fracture in women without osteoporosis. *J Clin Endocrinol Metab.* 2005 May;90(5):2787-2793.

Warming L, Hassager C, Christiansen C. Changes in bone mineral density with age in men and women: a longitudinal study. *Osteoporos Int* 2002 13(2):105-112.